

**Listing of the Claims:**

Applicants are not amending the claims in this Reply. The following is a listing of the currently pending claims in this application:

1. (previously presented) A method for inhibiting metastasis of lymphoma in a mammal which comprises administering to the mammal a preparation of IVIG or fragments thereof selected from the group consisting of F(ab')<sub>2</sub>, Fab', Fab and Fc, wherein the mammal has metastatic lymphoma.
2. (original) The method according to claim 1, wherein the preparation of IVIG or fragments thereof is administered intravenously.
3. (original) The method according to claim 2, wherein the preparation of IVIG is administered at a dosage of 2 g/kg/month.
4. (original) The method according to claim 1, wherein the preparation of IVIG or fragments thereof is administered intracavitarily.
5. (original) The method according to claim 1, wherein the preparation of IVIG or fragments thereof is administered subcutaneously.
6. (original) The method according to claim 1, wherein the lymphoma is Hodgkin's lymphoma.
7. (original) The method according to claim 1, wherein the lymphoma is non-Hodgkin's lymphoma.

8. (original) The method according to claim 1, wherein the lymphoma is metastasizable to an organ selected from the group consisting of lung, liver, brain and bone.

9. (original) The method according to claim 1, further comprising subjecting the mammal to at least one other treatment modality, prior to, during or after the administration of the preparation of IVIG or fragments thereof.

10. (original) The method according to claim 9, wherein the other treatment modality is selected from the group consisting of chemotherapy, immunotherapy, radiation therapy and surgery.

11. (original) The method according to claim 1, further comprising surgically removing the lymphoma prior to, during or after the administration of the preparation of IVIG or fragments thereof.

12. (previously cancelled) A method for treating lymphoma in a mammal which comprises administering to the mammal a preparation of IVIG or fragments thereof.

13. (previously cancelled) The method according to claim 12, wherein the preparation of IVIG or fragments thereof is administered intravenously.

14. (previously cancelled) The method according to claim 13, wherein the preparation of IVIG is administered at a dosage of 2 g/kg/month.

15. (previously cancelled) The method according to claim 12, wherein the preparation of IVIG or fragments thereof is administered intracavitarily.

16. (previously cancelled) The method according to claim 12, wherein the preparation of IVIG or fragments thereof is administered subcutaneously.

17. (previously cancelled) The method according to claim 12, wherein the lymphoma is Hodgkin's lymphoma.

18. (previously cancelled) The method according to claim 12, wherein the lymphoma is non-Hodgkin's lymphoma.

19. (previously cancelled) The method according to claim 12, further comprising subjecting the mammal to at least one other treatment modality, prior to, during or after the administration of the preparation of IVIG or fragments thereof.

20. (previously cancelled) The method according to claim 19, wherein the other treatment modality is selected from the group consisting of chemotherapy, immunotherapy, radiation therapy and surgery.

21. (previously cancelled) The method according to claim 12, further comprising surgically removing the lymphoma prior to, during or after the administration of the preparation of IVIG or fragments thereof.

22. (previously presented) A method for treating lymphoma in a mammal which comprises subcutaneously administering to the mammal a preparation of IVIG or fragments thereof selected from the group consisting of F(ab')<sub>2</sub>, Fab', Fab and Fc, wherein the mammal has metastatic lymphoma.

23. (previously presented) The method of claim 22 wherein the preparation is administered in a dosage range of 4-20 mg/kg of body weight.

24. (previously presented) A method for treating lymphoma in a mammal which comprises intracavitarily administering to the mammal a preparation of IVIG or fragments thereof selected from the group consisting of F(ab')<sub>2</sub>, Fab', Fab and Fc, wherein the mammal has metastatic lymphoma.

25. (previously presented) A method for treating lymphoma in a mammal which comprises administering to the mammal a preparation of IVIG or fragments thereof selected from the group consisting of F(ab')<sub>2</sub>, Fab', Fab and Fc, wherein the mammal has metastatic lymphoma, and wherein the method further comprises subjecting the mammal to at least one other treatment modality selected from the group consisting of immunotherapy, radiation therapy and surgery, and wherein the other treatment modality is administered prior to, during or after the administration of IVIG or fragments thereof.

26. (previously presented) A method for treating Hodgkin's lymphoma in a mammal which comprises administering to the mammal a preparation of IVIG or fragments thereof selected from the group consisting of F(ab')<sub>2</sub>, Fab', Fab and Fc, wherein the mammal has metastatic lymphoma, and wherein the method further comprises subjecting the mammal to at least one other treatment modality.

27. (previously presented) The method according to claim 26 wherein the other treatment modality is selected from the group consisting of chemotherapy, immunotherapy, radiation therapy and surgery, and wherein the other treatment modality is administered prior to, during or after the administration of IVIG.

28. (previously presented) A method for treating lymphoma in a mammal which comprises administering to the mammal a preparation of IVIG or fragments thereof selected from the group consisting of F(ab')<sub>2</sub>, Fab', Fab and Fc, wherein the mammal has metastatic lymphoma, and wherein the method further

Appln. No. 09/405,050

Reply dated March 25, 2004

Reply to Official Communication of Sept. 25, 2003

comprises surgically removing the lymphoma prior to, during or after the administration of the preparation of IVIG or fragments thereof.

29. (previously presented) A method for treating metastatic lymphoma in a mammal which comprises administering to the mammal a preparation of fragments of IVIG selected from the group consisting of  $F(ab')_2$ , Fab', Fab and Fc, wherein the mammal has metastatic lymphoma.